

# Race Star Wheel Applications

These are recommended fitments for O.E. vehicles.

## BUICK CARS ALL YEARS

### 73-77 Regal, GS 5x4.75 70.3 0-15 7/16 (A-Body)

oe fr	14	6.00		0.00		3.50	3.50					
oe rr	14	6.00		0.00		3.50	3.50					
	<b>dia.</b>	<b>width</b>	<b>part # suffix</b>	<b>offset mm</b>	<b>adj offset</b>	<b>bspace in</b>	<b>fspace in</b>	<b>stick out/ oe</b>	<b>32</b>	<b>82</b>	<b>92</b>	<b>95</b>
fr	15	3.75	-537240	-28.70		1.25	3.50	0.00		XX	XX	
fr	15	5.00	-550244	-15.80		2.38	3.62	0.12			XX	
fr	15	7.00	-570246	-12.70		3.50	4.50	1.00			XX	
rr	15	8.00	-580248	0.00		4.50	4.50	1.00		XX	XX	
rr	15	10.00	-510250	0.00		5.50	5.50	2.00		XX	XX	
fr	17	4.50	-745242	-25.40		1.75	3.75	0.25		XX	XX	XX
fr	17	7.00	-770247	6.40		4.25	3.75	0.25			XX	XX
rr	17	8.00	-780248	0.00		4.50	4.50	1.00			XX	
rr	17	9.50	-795249	0.00		5.25	5.25	1.75			XX	
fr	18	5.00	-850245	-25.40		2.00	4.00	0.50			XX	
fr/rr	18	7.00	-870247	0.00		4.00	4.00	0.50	XX			
rr	18	10.00	-810250	0.00		5.50	5.50	2.00	XX			
fr/rr	20	8.50	-085248	0.00		4.75	4.75	1.25	XX			
rr	20	10.00	-010250	0.00		5.50	5.50	2.00	XX			
	601-1414-10		7/16 closed lug kit, 10 pk (92 series)							XX	XX	
	601-1414-20		7/16 closed lug kit, 20 pk (92 series)							XX	XX	
	601-1424-10		7/16 open lug kit, 10 pk (92 series)							XX	XX	
	601-1424-20		7/16 open lug kit, 20 pk (92 series)							XX	XX	
	602-2437-10		7/16 closed lug kit, 10 pk (32, 95)									XX
	602-2437-20		7/16 closed lug kit, 20 pk (32, 95)									XX

### 78-81 Regal, T-Type, Grand National, GSX 5x4.75 70.3 0-15 7/16

oe fr	15	6.00		15.00		4.09	2.91					
oe rr	15	6.00		15.00		4.09	2.91					
	<b>dia.</b>	<b>width</b>	<b>part # suffix</b>	<b>offset mm</b>	<b>adj offset</b>	<b>bspace in</b>	<b>fspace in</b>	<b>stick out/ oe</b>	<b>32</b>	<b>82</b>	<b>92</b>	<b>95</b>
fr	15	3.75	-537240	-28.70		1.25	3.50	0.60		XX	XX	
fr	15	5.00	-550244	-15.80		2.38	3.62	0.71			XX	
fr	15	7.00	-570246	-12.70		3.50	4.50	1.59			XX	
rr	15	8.00	-580248	0.00		4.50	4.50	1.59		XX	XX	
fr	17	4.50	-745242	-25.40		1.75	3.75	0.84		XX	XX	XX
fr	17	7.00	-770247	6.40		4.25	3.75	0.84			XX	XX
fr/rr	17	8.00	-780248	0.00		4.50	4.50	1.59			XX	
fr	18	5.00	-850245	-25.40		2.00	4.00	1.09			XX	XX
fr/rr	18	7.00	-870247	0.00		4.00	4.00	1.09	XX			
rr	18	8.50	-885250	17.50		5.44	4.06	1.15			XX	XX
fr/rr	20	8.50	-085248	0.00		4.75	4.75	1.84	XX			
	601-1414-10		7/16 closed lug kit, 10 pk (92 series)							XX	XX	
	601-1414-20		7/16 closed lug kit, 20 pk (92 series)							XX	XX	
	601-1424-10		7/16 open lug kit, 10 pk (92 series)							XX	XX	

	601-1424-20		7/16 open lug kit, 20 pk (92 series)							XX	XX	
	602-2437-10		7/16 closed lug kit, 10 pk (32, 95)									XX
	602-2437-20		7/16 closed lug kit, 20 pk (32, 95)									XX
<b>82-87 Regal, T-Type, Grand National, GSX 5x4.75 70.3 0-15 12mm</b>												
oe fr	15	6.00		15.00		4.09	2.91					
oe rr	15	6.00		15.00		4.09	2.91					
	<b>dia.</b>	<b>width</b>	<b>part # suffix</b>	<b>offset mm</b>	<b>adj offset</b>	<b>bspace in</b>	<b>fspace in</b>	<b>stick out/ oe</b>	<b>32</b>	<b>82</b>	<b>92</b>	<b>95</b>
fr	15	3.75	-537240	-28.70		1.25	3.50	0.60		XX	XX	
fr	15	5.00	-550244	-15.80		2.38	3.62	0.71			XX	
fr	15	7.00	-570246	-12.70		3.50	4.50	1.59			XX	
rr	15	8.00	-580248	0.00		4.50	4.50	1.59		XX	XX	
fr	17	4.50	-745242	-25.40		1.75	3.75	0.84		XX	XX	XX
fr	17	7.00	-770247	6.40		4.25	3.75	0.84			XX	XX
fr/rr	17	8.00	-780248	0.00		4.50	4.50	1.59			XX	
fr	18	5.00	-850245	-25.40		2.00	4.00	1.09			XX	XX
fr/rr	18	7.00	-870247	0.00		4.00	4.00	1.09	XX			
rr	18	8.50	-885250	17.50		5.44	4.06	1.15			XX	XX
fr/rr	20	8.50	-085248	0.00		4.75	4.75	1.84	XX			
	601-1412-10		12x1.5 closed lug kit, 10 pk (92 series)							XX	XX	
	601-1412-20		12x1.5 closed lug kit, 20 pk (92 series)							XX	XX	
	601-1422-10		12x1.5 open lug kit, 10 pk (92 series)							XX	XX	
	601-1422-20		12x1.5 open lug kit, 20 pk (92 series)							XX	XX	
	602-2439-10		12x1.5 closed lug kit, 10 pk (92 series)						XX			XX
	602-2439-20		12x1.5 closed lug kit, 20 pk (92 series)						XX			XX
<b>64-67 Skylark, GS 5x4.75 70.3 0-15 7/16</b>												
oe fr	14	6.00		15.00		4.09	2.91					
oe rr	14	6.00		15.00		4.09	2.91					
	<b>dia.</b>	<b>width</b>	<b>part # suffix</b>	<b>offset mm</b>	<b>adj offset</b>	<b>bspace in</b>	<b>fspace in</b>	<b>stick out/ oe</b>	<b>32</b>	<b>82</b>	<b>92</b>	<b>95</b>
fr	15	3.75	-537240	-28.70		1.25	3.50	0.60		XX	XX	
fr	15	5.00	-550244	-15.80		2.38	3.62	0.71			XX	
fr	15	7.00	-570246	-12.70		3.50	4.50	1.59			XX	
rr	15	8.00	-580248	0.00		4.50	4.50	1.59		XX	XX	
fr	17	4.50	-745242	-25.40		1.75	3.75	0.84		XX	XX	XX
fr	17	7.00	-770247	6.40		4.25	3.75	0.84			XX	XX
fr/rr	17	8.00	-780248	0.00		4.50	4.50	1.59			XX	
fr	18	5.00	-850245	-25.40		2.00	4.00	1.09			XX	XX
fr/rr	18	7.00	-870247	0.00		4.00	4.00	1.09	XX			
rr	18	8.50	-885250	17.50		5.44	4.06	1.15			XX	XX
fr/rr	20	8.50	-085248	0.00		4.75	4.75	1.84	XX			
	601-1414-10		7/16 closed lug kit, 10 pk (92 series)							XX	XX	
	601-1414-20		7/16 closed lug kit, 20 pk (92 series)							XX	XX	
	601-1424-10		7/16 open lug kit, 10 pk (92 series)							XX	XX	
	601-1424-20		7/16 open lug kit, 20 pk (92 series)							XX	XX	

	602-2437-10			7/16 closed lug kit, 10 pk (32, 95)						XX			XX
	602-2437-20			7/16 closed lug kit, 20 pk (32, 95)						XX			XX
<b>68-72 Skylark, GS, GSX 5x4.75 70.3 0-15 7/16 (A-Body)</b>													
oe fr	14	6.00		0.00		3.50	3.50						
oe rr	14	6.00		0.00		3.50	3.50						
	<i>dia.</i>	<i>width</i>	<i>part # suffix</i>	<i>offset mm</i>	<i>adj offset</i>	<i>bspace in</i>	<i>fspace in</i>	<i>stick out/ oe</i>		32	82	92	95
fr	15	3.75	-537240	-28.70		1.25	3.50	0.00			XX	XX	
fr	15	5.00	-550244	-15.80		2.38	3.62	0.12				XX	
fr	15	7.00	-570246	-12.70		3.50	4.50	1.00				XX	
rr	15	8.00	-580248	0.00		4.50	4.50	1.00			XX	XX	
rr	15	10.00	-510250	0.00		5.50	5.50	2.00			XX	XX	
fr	17	4.50	-745242	-25.40		1.75	3.75	0.25			XX	XX	XX
fr	17	7.00	-770247	6.40		4.25	3.75	0.25				XX	XX
rr	17	8.00	-780248	0.00		4.50	4.50	1.00				XX	
rr	17	9.50	-795249	0.00		5.25	5.25	1.75					
fr	18	5.00	-850245	-25.40		2.00	4.00	0.50				XX	
fr/rr	18	7.00	-870247	0.00		4.00	4.00	0.50		XX			
rr	18	10.00	-810250	0.00		5.50	5.50	2.00		XX			
fr/rr	20	8.50	-085248	0.00		4.75	4.75	1.25		XX			
rr	20	10.00	-010250	0.00		5.50	5.50	2.00		XX			
	601-1414-10			7/16 closed lug kit, 10 pk (92 series)							XX	XX	
	601-1414-20			7/16 closed lug kit, 20 pk (92 series)							XX	XX	
	601-1424-10			7/16 open lug kit, 10 pk (92 series)							XX	XX	
	601-1424-20			7/16 open lug kit, 20 pk (92 series)							XX	XX	
	602-2437-10			7/16 closed lug kit, 10 pk (32, 95)						XX			XX
	602-2437-20			7/16 closed lug kit, 20 pk (32, 95)						XX			XX